BABA BHAIRABANANDA AUTONOMOUS MAHAVIDYALAYA

Chandikhole, Jajpur, Odisha-755044
E-mail: bompanage @gmail. (@m) MOB: 9437264845

Website: - bbmchandikhole.org

Letter No. 786/25

Date: 19/08/202

Sealed quotations are invited in two bid systems (technical and financial) from interested reputed registered firms/ authorized suppliers/ Agencies having valid up-to-date GST/IT clearance for supply and installation of IT equipment at Baba Bhairabananda (Auto.) Mahavidyalaya, Chandikhole. The quotations will be received from 21.08.2025 to 06.09.2025 till 04.00 PM during office hours, except Government holidays, through registered/speed post only. The quotations should be addressed in the name of "The Principal, B.B.(Auto) Mahavidyalaya, Chandikhole, Jajpur" and superscribed as "Quotation for supply of IT equipment". The quotation will be opened on 08.09.2025 at 03.00 P.M. in the office chamber of Principal, B.B. (Auto) Mahavidyalaya, Chandikhole, in the presence of quotationers or their representative and members of the purchase committee.

Sl.No.	Name of the Articles	Model & Specification	Qua	intity
01.	I3 and above Desktop	As prescribed by the Govt. of Odisha, Higher Education Dept. vide letter no. 12655/Dt. 05.03.2025 (Attached)	12	Sets
02.	UPS			Sets
03.	MFM Printer	As prescribed by the Govt. of Odisha, Higher Education Dept. vide letter no. 12655/Dt. 05.03.2025 (Attached)	02	Sets
04.	LED TV(65 inch) As prescribed by the Govt. of Odisha, Higher Education Dept. vide letter no. 12655/Dt. 05.03.2025 (Attached)		01	Set
05.	Wireless mice and Camera for virtual meeting	As prescribed by the Govt. of Odisha, Higher Education Dept. vide letter no. 12655/Dt. 05.03.2025 (Attached)	01	Set

Terms and conditions:-

1. The items supplied shall be new, of good quality.

- 2. Intending local authorized dealers/suppliers have to submit up-to-date GST clearance for the preceding 3 years, GST certificate, PAN card and income Tax Certificate for the preceding 3 years, along with their quotation.
- 3. The quotations must reach to office of the principal, B.B. (Auto.) Mahavidyalaya, Chandikhole, Jajpur, through registered /speed post only.
- 4. The quoted amount includes installation, delivery and taxes. The GST charges should be mentioned separately on a single page.
- 5. Delivery of items shall be made at the principal, B.B.(Auto) Mahavidyalaya, Chandikhole, Jajpur, within 15 days of the receipt of the order from the undersigned.
- 6. We reserve the right to reject the items if found unsuitable and or not conforming to the approved specification. The rejected items, if any, shall have to be taken back at your cost and replaced by good quality forthwith at your cost.
- 7. The decision of the undersigned in the entire process shall be final & binding to all concerned. The undersigned reserves the right to accept/rejects any quotations whatsoever the reason may be.
- 8. EMD of Rs 8,000/- (Rupees Eight Thousand) only in the shape of B.D. drawn in favour of Principal, B.B. Mahavidyalaya, Chandikhole, Payable at P.N.B, Darpana branch, is to be submitted along with the quotation paper. The EMD will be refunded to the authorized dealer/suppliers who will not be selected to supply the goods on the day of the opening of the quotation.
- Two separate envelopes bearing technical bid and price bid should be enclosed in a single envelope. The firm eligible in technical bid will be selected for opening the price bid.

10. All disputes are subject to Jajpur jurisdiction only.

Principal pal

B.B.(Auto) Mahavidyalaya lay

B.B. (Auto) Mahayadyalaya alay Chandikhole, Jajpun ajpur

Memo No. 781/25 /Date: 19.08.25

Copy forwarded to the DEGM, Collectorate, Jajpur for uploading in the district website / to the notice board of the collectorate, Jajpur, for wider publication.

Principal 19.8-23

Cchancikhole, Jajpai pur

	Specification Specification	
Items	Tower/Micro Tower (15.1 to 26 Litres)	
Cabinet Form Factor	Intel H670/Intel® H770 or higher Chipset	
Chipset Number	Intel	
Processor Make	x86 64-bit architecture	
Processor		
Processor Generation	13 Or higher	
Processor Description	Intel Core i3 or higher Intel Core i3 13100 or higher	
Processor Number	Max Turbo Frequency 4.5Ghz, Minimum 4 Cores and 8	
Number of Cores and Threads per Processor	Threads or higher	
Operating System	Windows 11 Home Factory Preloaded	
RAM Size (GB)	DDR-4 8GB 3200 (16 X1) or higher (2 DIIM Slots)	
RAM Expandability up to (using spare DIMM Slots in GB)	64 GB or higher	
Integrated Graphics	Intel UHD Graphics 770 or higher	
Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Yes	
Type of Drives used to populate the Internal Bays	NVMe SSD	
Total HDD Capacity (GB)	NA	
Total SSD Capacity (GB)	512GB NVMe SSD	
Optical Drive	Optional	
Drive Bays	Two 3.5" (2.5") HDD	
	1 PCI Express 4.0 x16,	
Slots for Upgradation	1 PCI Express 3.0 x1,	
21012 IOL OBBLAGATION	1 PCI (Full Height), 2 M.2 slots for WLAN & SSD	
	LAN: Integrated 10/100/1000M	
LAN	Front: 1 headphone/microphone combo; 3 Super Speed USB	
	5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling	
Ports and Connectors	rate; 1 USB Type-C, total 6nos USB in front for easy access	
Forts and connectors	Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power	
	connector; 1 RJ-45; 1 DP; 2 USB 2.0	
Firmware Trusted Platform Module	TPM 2.0	
Hardware Security lock slot	Security lock slot	
Power Supply	180-260Watt Internal power supply with minimum 90% efficiency	
J. F. S.	Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if	
	required.	
	OEM must have the ISO 9001,14001, ISO 20001, ISO 27001 Certificate	
Contification	Microsoft Windows, Energy star 8.0 certified	
Certification	Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of	
4	products at the time of participation of the Bid.	
	USB Keyboard; USB Optical Mouse	
Keyboard Mouse	19.5" LED Display with CTO Certified and same must be	
Monitor	belongs to the same OEM	
Years of Warranty	3 Year Onsite Warranty	



SI No	Feature	eractive UPS Specifications General Specifications	
31. NO.	- Carteria		
1	UPS Capacity (total)	600VA/360W	
2	Input Voltage	230 VAC naminal	
3	Input Frequency	45 - 65 Hz	
4	Brownout Transfer	145 VAC typical	
5	Over-voltage Transfer	290 VAC typical	
6	Voltage on Battery	230 VAC typical (stepped approximated sine wave)	
7	Frequency - On Battery	SOHz typical	
8	Transfer Time	@50 Hz : 6 ms typical, 10 ms max	
9	Air Ventilation	Should have Side and Back Honey bee Perforation for heat dispersion	
10	Protection from Humidity & Dust	UPS Should have conformal paint coating on PCB for Insulation for Dust and Humidity	
11	Battery Saver Option	UPS Should have Battery Saver Option to increase the life of th Battery upto 5 years	
12	No Load Shutdown	UPS Should work on loads of 2-3 watts also	
13	AC Surge Protection	Full time, 160 joules	
14	Automatic Re start of UPS	In case the UPS backup is totally drained and automatic switched off, when the grid power resumes the UPS Should Auto Start without human interference.	
15	Type (maintenance-free)	12V, 7.2 Ah	
16	Typical recharge time	4-6 hours	
17	Operating Temperature	0°C to 40°C	
18	Storage Temperature	-15°C to 45°C	
19	3 power outlets	With battery backup and surge protection	
20	Power Cord	1.2 meters	
21	Runtime for Single PC load (60W ± 15W)	27 min (normal mode)	
22	Runtime for Workstation PC (100W ±15W)	13 min (normal mode)	
23	Battery Saver (to save on battery life)	Thru toggle button on front panel	
24	Certification	BIS	
25	Designed and Manufactured in India	Yes	
26	Warranty	2 years	

	Generic
Description of Stores	Multifunction Machine Printer with Minimum 1 Year On Site Warranty, including Cartridge and Power Cord/Adapter
Core Function	Print, Scan and Copy
Print Technology	Laser
Cartridge Technology	Composite Cartridge
Type of Printing	Monochrome (Black)
RAM Size (MB)	256
Storage Capacity (in GB)	0
Features	Fax
Operating System Compatibility	Windows 10 and Above, Linux, Mac OS, Windows Server
	Printing
Print Paper Size	A4 and Legal
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Monochrome (Black) (in PPM)	26 to 30
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Mono (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Color (in PPM)	Not Applicable
Auto Duplexing Printing/Coping (2-sided Feature)	Yes
	Scanning
Maximum Scan Area (Platen/Flatbed Size)	A4 and Legal
A4 Scan Speed -Colour (Image Per Minute) @ 300 x 300 dpi	11 to 20
Scan To Functions	Email
A4 Scan Speed - Mono (Image Per Minute) @ 300 x 300 dpi	11 to 20
	COPYING
Reduction and Enlargement Feature	Yes

	-	1
1	K	
	9	1
/	/	

	PAPER HANDLING
Original Document Feeder Type (For Scanning and Copying)	Automatic Document Feeders (ADF)
Feeder Capacity (Number of Sheets) (For Scanning and Copying)	31 to 40
Number of Main Paper Tray	1
Total Paper Tray Combined Capacity (Number) at 75 GSM	101 to 200
Bypass Tray Facility	No
If Yes, Bypass Tray Capacity	0
Connectivity	
Connectivity	USB Port,Ethernet Port,Wi-Fi
Accessories Provided	USB Cable
	Performance
Minimum Yield of the Cartridge/Ink/Toner supplied with Machine as per IS/ISO/IEC: 19752/2017 for Black (Number of Prints)	700
Minimum Yield of the Cartridge/Ink/Toner Supplied with Machine as per IS/ISO/IEC: 19798:2017 for Cyan, Yellow and Magenta Color (Number of Prints)	
Minimum Duty Cycle (Number of Prints/Month)	10,001 to 20,000
	POWER
Power Supply Single Phase AC 220 - 240 V, 50 - 60 Hz	
Maximum Power Consumption (in Watt)	1300
Environmental	
Minimum Operating Temperature (Degree C)	.10
Maximum Operating Temperature (Degree C)	30

Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (%RH)	80
	Dimension
Standard Machine Weight with Single Tray (in Kg)	11
	Certification
BIS CRS Compliance	Yes as per IS 13252 (Part 1)
Maximum Number of Prints covered under Product warranty (Whichever is earlier)	30000
EPR Registration in respect of the manufacturer/authorised importer as per E waste rules as amended up to date	Yes
Agreed to Provide a copy of EPR Registration Certificate to the Buyer on Demand	Yes

		the second areas a second
	Screen Size	65
	Brightness (cd/m²)	350Nits or better
	Contrast Ratio	1200:1
-	Dynamic Contrast Ratio	400,000:1
	Response Time (ms)	8.0
General Features	Display resolution (H x V, pixels)	3840 x 2160
	HDR (High Dynamic Range) compatiblity	Yes (HDR10, HLG)
	Aspect Ratio	16:9
	Portrait/Tilt Compatibility	Yes
	Dimming type	Frame Dimming
	Display Device	LCD
		IPS
	Panel Type	Direct LED
	Backlight type	69%
Display features	Color gamut (NTSC)	16/7
	Operation time	1%
	Haze (%)	178 (89/89) degree
	Viewing Angle (Right/Left)	178 (89/89) degree
	Viewing Angle (Up/Down)	
	HDMI Signal	4096 x 2160p (24, 50, 60 Hz 3840 x 2160p (24, 25, 30, 50 60 Hz), 1080p (30, 50, 60 Hz 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i 480p,480i
	Speaker Position	Down Firing
Audio Specs	Audio Power Output	10W + 10W
	Pro settings	Yes (Simple Pro settings mer
Professional	HDMI auto wake-up	Yes
features	Operating System	Android TV
	On-board Storage (GB)	16GB
	RAM	3GB
	Wi-Fi Certified	Yes
Network Specs	Wireless LAN	Integrated
	USB playback codecs	MPEG1:MPEG1/MPEG2 PS:MPEG2/MPEG2 WEBM:AV1/AC4/ogg/AAC
Convenience	On Screen Clock	Yes
features	Sleep Timer	Yes
	On/Off Timer	Yes
	Chromecast built-in	Yes
	Apple AirPlay	Yes
	IP Control	Yes
Control Space	RS-232C Control	Yes
Control Specs	HDMI-CEC	Yes
	HDCP	HDCP2.3 (for HDMI1/2/3
	Composite Video Input (s)	1 (Side, Mini jack)



	HDMI inputs total	3 (3Side)
Inputs and outputs	Analog Audio Input (s) (Total)	1 (Side Analog Conversion)
	Digital Audio Output (s)	1 (Side)
	USB ports	2 (Side)
	Ethernet inputs	1 (Side)
Design features	VESA* Hole Pitch (W x H)	300 x 300 mm
	Rated Power Consumption	226W
	Power Consumption (in Standby)	0.5 W
Environment Specs	Dynamic Backlight Control	Yes
	Power Saving Mode / Back Light Off Mode	Yes
	Dimension of TV without Stand (W x H x D)	1462 x 842 x 71 mm
Measurements	Dimension of TV with Stand (W x H x D)	1462 x 912 x 338 mm
	Dimension of Package Carton (W x H x D)	1588 x 965 x 184 mm
	Weight of TV without Stand	20.4 kg
Weight	Weight of TV with Stand	21.3 kg
	Weight of Package Carton (Gross)	28 kg

C *91 8448449073

acare endustry buying com





Shop By Cotegory

88 Industrybuying

Search Products by title, sku, category, brand etc.


Q Login





Home / IT Security / Computer Accessories / WEBCAM / Logitech Master Series Graphite M

Share «





IIIIii Ships within 5 days

Logitech Master Series Graphite MX Brio 4K Ultra Hd Web Camera, 960-001548

EMI starts at \$2202/month. No Cost EMI available

Visit the Logitech Store



MRP #24-995 Q 86% OFF

Bulk quantity Discounts!!

4-5

6-7

8-more

Of Glean Quantity-1

Discounted

price per

place (incl. of all

towers)

F23.98014

£23,740 53

£23,500 93 F23 341 19

AVAILABLE OFFERS

EMI options

View Offers

Get up to \$4,000* on a min, order value of \$5,498 First-time GST users only T&C apply Yhere

Get up to \$3,600° on a min order value of \$8,499.

0 First-time 828 users only 1&C opply YMBE



FEATURES

More Details

Country of Origin

Switzerland

Connectivity

USB-C to USB-C Cable

Focus Type

Advanced Autolocus

Package Contains

MX Bno, Mount Clip with Removable
Adapter, USB-C to C
3.0 Cable, User
Documentation ADD TO CART

Select Quantity

BUY NOW

0

Callback

0

0

0

0 Product

More Logitech WEBCAM products More WIBCAM products



Warranty as per brand



100% Original Products



Secure payments



100% Buyer protection



Top Brands O Check Delivery Details



PRIPAID

Enter Pincode

Available

PART COD

Unavailable

COD

Available

Available Return

RETURN

period 7 days

SPECIFICATIONS

DESCRIPTION

Country of Origin

Switzerland

Connectivity

USB-C to USB-C Coble Advanced Autolocus

Focus Type Package Contains

MX Bno, Mount Clip with Removable Adopter, USB-C to C 3.0 Coble, User Documentation

Microphone Type

Dual Beamforming

Width

Zoom

Type of Product

4x Digital Zoom

Web Camera

Part No

MIXERIO4KORPT

Height

44 mm

Weight

137 g

Lens Type Interloce

Gioss US8 3 D

Resolution

Graphite

Image Sensor

4K/30 tps, 1060p/80 tps 8.5 MP Sony STARVIS



MEED HELF WITH YOUR PURCHASE

