



BABA BHAIKABANANDA AUTONOMOUS MAHAVIDYALAYA

Chandikhole, Jajpur, Odisha-755044

E-mail: bbmprincipal@gmail.com MOB: 9437264845

Website: - bbmchandikhole.org

Letter No. 092/26

Date: 19. 01. 2026

Tender call Notice

Sealed Tenders are invited from reputed firms/ suppliers/ authorized dealers having valid GST registration and PAN for supply of Desktop Computer, UPS, Multifunction printer, Led TV, Webcam and internet facility for upgrading the IT infrastructure of Baba Bhairabnanda (Auto.) Mahavidyalaya, Chandikhole, Jajpur, Odisha as per the Govt. of Odisha, Higher Education Dept. letter no. 12655/Dt. 05.03.2025. The bidders need to submit the tender paper along with the other required documents in sealed cover so as to reach the office of the undersigned on or before 04.00 PM of 07.02.2026 by Registered post/Speed post only. The tender paper received beyond the stipulated time and date mentioned above shall not be taken into consideration. The tender paper will be opened on Dt. 09.02.2026 at 04.00 P.M. in the presence of the Tender Committee constituted for this purpose at office of the ADM (Gen.), Jajpur, Odisha and the bidders/their authorized representatives.

Sealed covers containing the tender/bid in the prescribed form should be submitted in two sealed Envelopes i.e. Cover-A (Technical Bid) & Cover-B (Financial Bid), both the covers should be put into a third Envelope which should be superscribed as Tender for upgrading IT infrastructure of Baba Bhairabnanda (Auto.) Mahavidyalaya, Chandikhole, Jajpur. Only those bidders whose technical bids are found to have qualified will be eligible for financial evaluation. For further details please visit district website jajpur.odisha.gov.in or college website bbmchandikhole.org

Sl.No.	Name of the Articles	Model & Specification	Quantity	
01.	I3 and above Desktop	As prescribed by the Govt. of Odisha, Higher Education Dept. vide letter no. 12655/Dt. 05.03.2025 (Attached at Annexure-'A')	12	Sets
02.	UPS	As prescribed by the Govt. of Odisha, Higher Education Dept. vide letter no. 12655/Dt. 05.03.2025 (Attached at Annexure-'A')	12	Sets

BB/26
19.01.26


Shreyas
19.01.26
D/19/01/26


Prabhatree
Principal
19.1.26
B B (Auto) Mahavidyalaya
Chandikhole Jajpur

03.	MFM Printer	As prescribed by the Govt. of Odisha, Higher Education Dept. vide letter no. 12655/Dt. 05.03.2025 (Attached at Annexure-'A')	02	Sets
04.	LED TV(65 inch)	As prescribed by the Govt. of Odisha, Higher Education Dept. vide letter no. 12655/Dt. 05.03.2025 (Attached at Annexure-'A')	01	Set
05.	Wireless mice and Camera for virtual meeting	As prescribed by the Govt. of Odisha, Higher Education Dept. vide letter no. 12655/Dt. 05.03.2025 (Attached at Annexure-'A')	01	Set

Terms and conditions:-

1. Delivery of items shall be made at the principal, B.B. (Auto) Mahavidyalaya, Chandikhole, Jajpur, within 10 days of the receipt of the order from the undersigned.
2. Bidder should supply and install all the items at his own cost.
3. The undersigned reserve the right to reject the items if found unsuitable and or not conforming to the approved specification. The rejected items, if any, shall have to be taken back by the supplier and replaced by good quality forthwith at their own cost.
4. The decision of the undersigned in the entire process shall be final & binding to all concerned. The undersigned reserves the right to accept/rejects any quotations whatsoever the reason may be.
5. Bidder should submit copy of Bid Specific OEM Authorization Certificate (MAF)/ Certificate with OEM details such as name, designation, and address in respect of desktop computers.
6. OEM must provide declaration about onsite warranty.
7. Bidder should have office in Odisha for better sales and services.
8. The bidder must be registered under GST Act.
9. Bidder must submit last 3 years IT return
10. Bidders should submit the affidavit to the effect that the Firm/Agency has not been blacklisted by any Central/State/PSU organizations in Non-Judicial one hundred stamp paper executed before Notary.
11. All the required documents must be submitted as per Bid requirement, failing which the bidder will be rejected.
12. EMD of Rs 16000/- (Rupees Sixteen Thousand) only in the shape of B.D. drawn in favour of Principal, B.B. Mahavidyalaya, Chandikhole, Payable at P.N.B, Darpana branch, is to be submitted along with the quotation paper. The EMD of the unsuccessful bidders will be refunded (without interest) after the tender process is over.
13. The maximum ceiling prices in respect of each item prescribed by the Department of Higher Education vide Letter No. 12655/Dt. 05.03.2025 has to be adhered. (Attached in Annexure- 'B')


 S. N. Ray
 09.01.26

 D. K. Ray


 Principal 19.1.26
 B.B (Auto) Mahavidyalaya
 Chandikhole, Jajpur

14. The formats of technical and financial bid are attached in Annexure- 'C'.
15. The bid will be evaluated on the basis of aggregate value of all the items put to tender.
16. In case of tie of bids, the tender will be awarded to the bidder offering lowest price on desktops having OEM certification.
17. The authority reserves the right to cancel the tender any time without assigning any reason thereof.
18. All disputes are subject to Jajpur jurisdiction only.

Prabhat 19.01.26
 Principal
 B.B (Auto) Mahavidyalaya
 Chandikhole, Jajpur

Memo No. 093/26./Date: 19.01.26

Copy forwarded to the ADM(Gen.)-Cum-President G.B., Collectorate, Jajpur for information.

Prabhat 19.01.26.
 Principal
 B.B (Auto) Mahavidyalaya
 Chandikhole, Jajpur

Memo No. 094/26./Date: 19.01.26

Copy forwarded to the DeGM, Collectorate, Jajpur for uploading in the district Website for wider publication.

Prabhat 19.01.26.
 Principal
 B.B (Auto) Mahavidyalaya
 Chandikhole, Jajpur

68/19.01.26

SUN
 19.01.26

OB

D 19.01.26

Annexure - A

Desktop Specification

Items	Specification
Cabinet Form Factor	Tower/Micro Tower (15.1 to 26 Litres)
Chipset Number	Intel H670/Intel® H770 or higher Chipset
Processor Make	Intel
Processor	x86 64-bit architecture
Processor Generation	13 Or higher
Processor Description	Intel Core i3 or higher
Processor Number	Intel Core i3 13100 or higher
Number of Cores and Threads per Processor	Max Turbo Frequency 4.5Ghz, Minimum 4 Cores and 8 Threads or higher
Operating System	Windows 11 Home Factory Preloaded
RAM Size (GB)	DDR-4 8GB 3200 (16 X1) or higher (2 DIMM Slots)
RAM Expandability up to (using spare DIMM Slots in GB)	64 GB or higher
Integrated Graphics	Intel UHD Graphics 770 or higher
Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Yes
Type of Drives used to populate the Internal Bays	NVMe SSD
Total HDD Capacity (GB)	NA
Total SSD Capacity (GB)	512GB NVMe SSD
Optical Drive	Optional
Drive Bays	Two 3.5" (2.5") HDD
Slots for Upgradation	1 PCI Express 4.0 x16, 1 PCI Express 3.0 x1, 1 PCI (Full Height), 2 M.2 slots for WLAN & SSD
LAN	LAN: Integrated 10/100/1000M
Ports and Connectors	Front: 1 headphone/microphone combo; 3 Super Speed USB 5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, total 6nos USB in front for easy access Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 DP; 2 USB 2.0
Firmware Trusted Platform Module	TPM 2.0
Hardware Security lock slot	Security lock slot
Power Supply	180-260Watt Internal power supply with minimum 90% efficiency
Certification	Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if required. OEM must have the ISO 9001,14001, ISO 20001, ISO 27001 Certificate Microsoft Windows, Energy star 8.0 certified Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of products at the time of participation of the Bid.
Keyboard Mouse	USB Keyboard; USB Optical Mouse
Monitor	19.5" LED Display with CTO Certified and same must be belongs to the same OEM
Years of Warranty	3 Year Onsite Warranty

CS/19.01.28

Shanu
19.01.28

JB
19.01.28

Alex-A

600 VA Line Interactive UPS Specifications		
Sl. No.	Feature	General Specifications
1	UPS Capacity (total)	600VA/360W
2	Input Voltage	230 VAC nominal
3	Input Frequency	45 - 65 Hz
4	Brownout Transfer	145 VAC typical
5	Over-voltage Transfer	290 VAC typical
6	Voltage on Battery	230 VAC typical (stepped approximated sine wave)
7	Frequency - On Battery	50Hz typical
8	Transfer Time	@50 Hz : 6 ms typical, 10 ms max
9	Air Ventilation	Should have Side and Back Honey bee Perforation for heat dispersion
10	Protection from Humidity & Dust	UPS Should have conformal paint coating on PCB for Insulation for Dust and Humidity
11	Battery Saver Option	UPS Should have Battery Saver Option to increase the life of the Battery upto 5 years
12	No Load Shutdown	UPS Should work on loads of 2-3 watts also
13	AC Surge Protection	Full time, 160 joules
14	Automatic Re start of UPS	In case the UPS backup is totally drained and automatic switched off, when the grid power resumes the UPS Should Auto Start without human interference
15	Type (maintenance-free)	12V, 7.2 Ah
16	Typical recharge time	4- 6 hours
17	Operating Temperature	0°C to 40°C
18	Storage Temperature	-15°C to 45°C
19	3 power outlets	With battery backup and surge protection
20	Power Cord	1.2 meters
21	Runtime for Single PC load (60W ± 15W)	27 min (normal mode)
22	Runtime for Workstation PC (100W ± 15W)	13 min (normal mode)
23	Battery Saver (to save on battery life)	Thru toggle button on front panel
24	Certification	BIS
25	Designed and Manufactured in India	Yes
26	Warranty	2 years

CFR
19-01-26

Shakeer
19-01-26

D
19-01-26

Anex - A

Generic	
Description of Stores	Multifunction Machine Printer with Minimum 1 Year On Site Warranty, including Cartridge and Power Cord/Adapter
Core Function	Print, Scan and Copy
Print Technology	Laser
Cartridge Technology	Composite Cartridge
Type of Printing	Monochrome (Black)
RAM Size (MB)	256
Storage Capacity (in GB)	0
Features	Fax
Operating System Compatibility	Windows 10 and Above, Linux, Mac OS, Windows Server
Printing	
Print Paper Size	A4 and Legal
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Monochrome (Black) (in PPM)	26 to 30
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Color (in PPM)	Not Applicable
Auto Duplexing Printing/Coping (2-sided Feature)	Yes
Scanning	
Maximum Scan Area (Platen/Flatbed Size)	A4 and Legal
A4 Scan Speed -Colour (Image Per Minute) @ 300 x 300 dpi	11 to 20
Scan To Functions	Email
A4 Scan Speed - Mono (Image Per Minute) @ 300 x 300 dpi	11 to 20
COPYING	
Reduction and Enlargement Feature	Yes

Col/19-01-20 Shrawan
19-01-21
D/19-01-20
OB

Anex - A

PAPER HANDLING	
Original Document Feeder Type (For Scanning and Copying)	Automatic Document Feeders (ADF)
Feeder Capacity (Number of Sheets) (For Scanning and Copying)	31 to 40
Number of Main Paper Tray	1
Total Paper Tray Combined Capacity (Number) at 75 GSM	101 to 200
Bypass Tray Facility	No
If Yes, Bypass Tray Capacity	0
Connectivity	
Connectivity	USB Port, Ethernet Port, Wi-Fi
Accessories Provided	USB Cable
Performance	
Minimum Yield of the Cartridge/Ink/Toner supplied with Machine as per IS/ISO/IEC: 19752/2017 for Black (Number of Prints)	700
Minimum Yield of the Cartridge/Ink/Toner Supplied with Machine as per IS/ISO/IEC: 19798:2017 for Cyan, Yellow and Magenta Color (Number of Prints)	0
Minimum Duty Cycle (Number of Prints/Month)	10,001 to 20,000
POWER	
Power Supply	Single Phase AC 220 - 240 V, 50 - 60 Hz
Maximum Power Consumption (in Watt)	1300
Environmental	
Minimum Operating Temperature (Degree C)	10
Maximum Operating Temperature (Degree C)	30

~~20/01/26~~

SK NAWAB
19.01.26

 D 19/01/26

Anex-4

Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (%RH)	80
Dimension	
Standard Machine Weight with Single Tray (in Kg)	11
Certification	
BIS CRS Compliance	Yes as per IS 13252 (Part 1)
Maximum Number of Prints covered under Product warranty (Whichever is earlier)	30000
EPR Registration in respect of the manufacturer/authorised importer as per E waste rules as amended up to date	Yes
Agreed to Provide a copy of EPR Registration Certificate to the Buyer on Demand	Yes

~~Chk~~ 19.01.26
Sunny 19.01.26
DK 19.01.26
SS 19.01.26

Annex - A

General Features	Screen Size	65
	Brightness (cd/m ²)	350Nits or better
	Contrast Ratio	1200:1
	Dynamic Contrast Ratio	400,000:1
	Response Time (ms)	8.0
	Display resolution (H x V, pixels)	3840 x 2160
	HDR (High Dynamic Range) compatibility	Yes (HDR10, HLG)
	Aspect Ratio	16.9
	Portrait/Tilt Compatibility	Yes
Display features	Dimming type	Frame Dimming
	Display Device	LCD
	Panel Type	IPS
	Backlight type	Direct LED
	Color gamut (NTSC)	69%
	Operation time	16/7
	Haze (%)	1 %
	Viewing Angle (Right/Left)	178 (89/89) degree
	Viewing Angle (Up/Down)	178 (89/89) degree
Audio Specs	HDMI Signal	4096 x 2160p (24, 50, 60 Hz), 3840 x 2160p (24, 25, 30, 50, 60 Hz), 1080p (30, 50, 60 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i 480p, 480i
	Speaker Position	Down Firing
	Audio Power Output	10W + 10W
Professional features	Pro settings	Yes (Simple Pro settings menu)
	HDMI auto wake-up	Yes
	Operating System	Android TV
	On-board Storage (GB)	16GB
Network Specs	RAM	3GB
	Wi-Fi Certified	Yes
	Wireless LAN	Integrated
Convenience features	USB playback codecs	MPEG1:MPEG1/MPEG2 PS:MPEG2/MPEG2 WEBM:AV1/AC4/ogg/AAC
	On Screen Clock	Yes
	Sleep Timer	Yes
	On/Off Timer	Yes
	Chromecast built-in	Yes
	Apple AirPlay	Yes
Control Specs	IP Control	Yes
	RS-232C Control	Yes
	HDMI-CEC	Yes
	HDCP	HDCP2.3 (for HDMI1/2/3)
	Composite Video Input (s)	1 (Side, Mini jack)

20/01/2019 Sunday
Dhaval

Annex A

Inputs and outputs	HDMI inputs total	3 (3Side)
	Analog Audio Input (s) (Total)	1 (Side Analog Conversion)
	Digital Audio Output (s)	1 (Side)
	USB ports	2 (Side)
	Ethernet inputs	1 (Side)
Design features	VESA® Hole Pitch (W x H)	300 x 300 mm
Environment Specs	Rated Power Consumption	226W
	Power Consumption (in Standby)	0.5 W
	Dynamic Backlight Control	Yes
	Power Saving Mode / Back Light Off Mode	Yes
Measurements	Dimension of TV without Stand (W x H x D)	1462 x 842 x 71 mm
	Dimension of TV with Stand (W x H x D)	1462 x 912 x 338 mm
	Dimension of Package Carton (W x H x D)	1588 x 965 x 184 mm
Weight	Weight of TV without Stand	20.4 kg
	Weight of TV with Stand	21.3 kg
	Weight of Package Carton (Gross)	28 kg

(Signature) 19.01.16
 (Signature) 19.01.16
 (Signature) 19.01.16

+91
8448449013

core@industrybuying.com

Offers GST Benefits Become a Seller Bulk Order FAQS

Track Order

Shop By
Category

88 Industrybuying

Search Products by title, sku, category, brand etc.



Login



Home / IT Security / Computer Accessories / WEBCAM / Logitech Master Series Graphite M

Share

Buy Discount

Ships within 5 days

Logitech Master Series Graphite MX Brio 4K
Ultra Hd Web Camera, 960-001548

Visit the Logitech Store

POWER BRAND

EMI starts at ₹2202/month. No Cost EMI available.
EMI options

AVAILABLE OFFERS

View Offers

- Get up to ₹4,000* on a min. order value of ₹9,499.
First-time GST users only. T&C apply.
X999
- Get up to ₹3,600* on a min. order value of ₹9,499.
First-time GST users only. T&C apply.
X999

FEATURES

More Details

Country of Origin

Switzerland

Connectivity

USB-C to USB-C
Cable

Focus Type

Advanced Autofocus

Package Contains

MX Brio, Mount Clip
with Removable
Adapter, USB-C to C
3.0 Cable, User
Documentation

₹24,779 (incl. of all taxes)

₹20,999 +18% GST

MRP ₹24,999 - 8.8% OFF

- 1 + Minimum Order Quantity: 1

Bulk quantity Discounts!!

Select	Quantity	Discounted price per piece(incl. of all taxes)
<input type="radio"/>	2-3	₹23,980.14
<input type="radio"/>	4-5	₹23,740.53
<input type="radio"/>	6-7	₹23,500.93
<input type="radio"/>	8-more	₹23,341.19

ADD TO CART

BUY NOW

Request a Callback

Get Customized Price


Connect with a Product Expert

Check Delivery Details

Enter Pincode

Check

PREPAID	Available
PART COD	Unavailable
COD	Available
RETURN	Available Return period: 7 days



SPECIFICATIONS

DESCRIPTION

Country of Origin	Switzerland
Connectivity	USB-C to USB-C Cable
Focus Type	Advanced Autofocus
Package Contains	MX Brio, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation
Microphone Type	Dual Beamforming
Width	98 mm
Zoom	4x Digital Zoom
Type of Product	Web Camera
Part No	960-001548
Height	44 mm
Weight	137 g
Lens Type	Gloss
Interface	USB 3.0
Color	Graphite
Resolution	4K/30 fps, 1080p/60 fps
Image Sensor	8.5 MP Sony STARVIS
Model No	960-001548

B *Shawn* *19/01/26*
CS *19/01/26*
JG *19/01/26*

ANNEXURE - B

Quantities and Specifications of IT items to be purchased

Sl.No	Non-Govt. Aided Colleges	Nos of College	Amount to be released (in lakhs)	Detail calculation	Total Amount (in lakhs)
1	No of No Govt. Aided Colleges having student's strength more than 750	199	8	1.13 and above Desktop $@50000*12=6$ Lakh 2. UPS@3000*12=36000 lakh 3. MFM Printer@30000 *2=60000 4.1 LED Tv (65 inch) @0.70= 70000 5. Wireless mice & Camera for Virtual meeting = 25000 6. Internet Facility:-20,000/- Total=8.11 Lakh	1592
2	No of Non-Govt. Aided Colleges having student's strength less than 750	449	4.5	1.13 and above Desktop $@50000*6=3.0$ Lakh 2. UPS@3000*6=18000 t 3. MFM Printer@30000*2=0.60 Lakh 4.1 LED Tv(65 inch)@70000=.70 Lakh 5.Wire less Mice & Camera with MIC for Virtual meeting = 25000 6. Internet facility=20000 Total =4.93 Lakh	2020.5
		648			3612.5

19.01.26
 19.01.26
 19.01.26
 19.01.26

Annexure-C

Format for Technical Eligibility Criteria

Part-A General Details

Name	
Address (with Email and Mobile No.)	
Authorized Person	



Part-B Technical Requirements

Sl No.	Nature & Type of Documents/Items	Whether enclosed (with page reference)	
		Yes/No	Page No.
1	Valid PAN		
2	Valid GST Registration		
3	IT return of last three years		
4	EMD in shape of Demand Draft of Rs. 16,000/-		
5	OEM Authorization Certificate		
6	OEM Declaration regarding on site warranty		
7	Affidavit of not been blacklisted by any Central/State/PSU organizations		

Format for Financial Bid

Sl No.	Name of the Item	Units	Price per Unit (Including taxes, transportation, installation and all other ancillary cost)	Total Price (Including taxes, transportation, installation and all other ancillary cost)


 Principal 19.1.26.
 B.B (Auto) Mahavidyalaya
 Chandikhole, Jajpur


 19.01.26

 19.01.26